



Catel Wireless Calling & Paging System Price List

www.catel.cn maggie@catel.cn



Wireless Calling System								
Item	Product Name	Product Model	Photo	Description	Sample price 1-50pcs	Agent Price 51-300pcs	Distributor price 301-1000pcs	Remark
P1	Small Host Receiver Display	CTM881		Dimension: 140 X 78 X 33 mm Frequency: 315MHZ or 433.92MHZ Power: AC 220V 50/60HZ Sensitivity: -110dbm Color: Mahogany color or black totem Material: ABS plastics Capacity: 1280pcs of calling pagers Display: 3-digits, red LED display, 1.8 inches Storage: 15 calling numbers for service Plug: AU, EU, UK, US standard plug	\$25	\$23	\$19	Available in 2 colors
P2	Medium hHost Receiver Display	CTM688		Dimension: 236X 142 X 40 mm Frequency: 315MHZ or 433.92MHZ Sensitivity: -110dbm Color: Black with white Material: ABS plastics Capacity: 999 pcs of calling pagers Display: 2 or 3-digits, red LED display, 2.3 inches Storage: 20 calling numbers (for queueing) Plug: AU, EU, UK, US standard plug	stop production			
P3	Host Receiver Display	CTM99		Dimension: 300x162x43 mm Frequency: 315MHZ or 433.92MHZ Power: DC 12V sensitivity: -110dbm Color: Black Material: Aluminum frame capacity: 289 pcs of calling pagers Display: 2-digits, red LED display, 4 inches Storage: 20 calling numbers for service				

Wireless Calling System

Item	Product Name	Product Model	Photo	Description	Sample Price 1-50pcs	Agent Price 51-300pcs	Distributor Price 301-1000pcs	Remark
P4	Medium Host Receiver Display	CTM999		Dimension: 400 X 162 X 43 mm Frequency: 315MHZ or 433.92MHZ Power: DC12v sensitivity -110dbm Color: Black Material: Aluminum frame Capacity :1280pcs calling pagers Display: 3-digits,red LED display, 4 inches Storage: 20 calling numbers for servic Plug: AU, EU, UK, US standard plug	\$48	\$40	\$36	
P5	Medium Host Receiver Display	CTM699		Dimension: 300×162×43 mm Frequency: 315MHZ or 433.92MHZ Power: DC12v sensitivity -110dbm Color: Black Material: Aluminum frame Capacity :289 pcs calling pagers Display: 2-digits with 2.3 inches, 4-digits with 1.8inches, red LED display Storage: 20 calling numbers for service Plug: AU, EU, UK, US standard plug	\$48	\$40	\$36	
P6	Large Host Receiver Display	CTM02L		Dimension: 505 X 159 X 40 mm Frequency: 315MHZ or 433.92MHZ Power: AC 220V 50/60HZ sensitivity: -110dbm Color :Black Material : Aluminum frame Capacity: 1280pcs of calling pagers Display: 4-digits,red LED display, 4 inches Storage: 15 calling numbers for service,clock display function	\$65	\$58	\$50	
P7	Wireless Voice Call Forwarding Interphone Host Receiver Display	CTM02V		Dimension: 500×170×50 mm Frequency: 315MHZ or 433.92MHZ Power: AC 220V 50/60HZ sensitivity: -110dbm Color :Black Material : iron frame capacity: 1280pcs of calling pagers Display: 4-digits,red LED display, 4 inches Storage: 30calling numbers for service,clock display function Plug: AU, EU, UK, US standard plug	stop production			

Wireless Calling System

Item	Product Name	Product Model	Photo	Description	Sample Price 5-50pcs	Agent Price 51-300pcs	Distributor Price 301-1000pcs	Remark
P8	Waterproof Rechargeable Watch	CTW07		Watch Receiver Body Dimension:52.3*61.7*16.5mm Function: show calling function, time, and calling sequence Power: USB interface Color: white or black Material :Plastic Capacity :500 pcs of call button transmitters Alert Mode :vibration or ring Receive Sensitivity :-110dbm Frequency:433.92MHZ Weight: 80g	\$18	\$17	\$16.5	Watch can be put on the belt or hang on the neck
P9	Wrist Watch Pager	CTW05		Dimension:50*42*15mm Power :USB interface Color: Black Material :Plastic Capacity : 500 pcs of pager transmitters Alert Mode :vibration and ring Receive Sensitivity:-110dbm Frequency:315MHZ or 433.92MHZ Plug: AU, EU, UK, US standard plug	\$17	\$16	\$15	Watch without CATEL LOGO available
P10	Wrist Watch Pager	CTW02		Dimension: 55*45*18mm(No watch strap) Power:1xAAA battery Color: Black Material: Plastic Capacity: 500pcs of pager transmitters Mode: vibration and ring Receive Sensitivity: -110dbm Frequency: 315 or 433.92 MHz	\$15	\$13	\$12	Watch without CATEL LOGO available
P11	Functional Watch Pager in Spanish, Russian, Ukrainian, German	CTW06		Dimension:50* 41* 14mm (no watch strap) Screen Size:29*21.5mm Power :USB interface Color: black Material: plastic Capacity: 500 pcs of pager transmitters Alert Mode : vibration and ring Sensitivity:-110dBm Frequency:433.92MHz Plug: AU, EU, UK, US standard plug	\$18	\$17.5	\$16.5	Watch without CATEL LOGO available , support Customized LOGO

Wireless Calling System

Item	Product Name	Product Model	Photo	Description	Sample Price 30-50pcs	Agent Price 51-300pcs	Distributor Price 301-1000pcs	Remark
P12	1-5 Key Call Button	CTT01- CTT05		Dimension: 120 * 85 *55 mm Frequency: 315MHZ/ 433.92MHZ Power: 1*9V Zinc Carbon battery (Model 6F22) Distance: 500 meters(Open area) Color: Wood grain color or black totem pattern,green or gray Type:1-key,2-key,3-key,4-key,5-key. Material: ABS plastic Menu Size:170*87*2mm	\$5	\$4.5	\$4	CTT01- 1 Key CTT02- 2 Key CTT03- 3 Key CTT04- 4 Key CTT05- 5 Key
P13	5 Key Call Button	CTTN85		Dimension:143*75*43 mm Frequency: 433.92MHZ Power:2*12V Zinc Carbon battery(Model 23A) Call Distance:1000meters(Open area) Color: White Material :ABS plastic Menu Size:184×102×4.5(mm) Press Key : five key(order, service, water, bill, cancel)	\$5.5	\$5	\$4.5	Customized LOGO or sticker available
P14	Triangular Button black or white color 1 , 2 , 3 key	CTT31 CTT32 CTT33		Dimension: 60*55 *21 mm Power :1*12V battery Call distance :500 meters (open area) Material :ABS plastic Color: White or black 1 key :call; 2 key: call , cancel; 3 key: call, bill, cancel	\$2.5	\$2.4	\$2.3	Customized LOGO or sticker available
P15	Strong distance Call Button	CTT20		Button Type: Single key Dimension: 60*60*32mm Frequency: 433.92mhz / 315mhz Power: 1*12V Battery Range: 800 meters(Open area) Color: Mahogany color or black or white Material: ABS Plastic Warranty: 12 Months Key button: One key	\$2.5	\$2.3	\$2.2	Customized LOGO or sticker available
P16	Super Thin Call Button	CTT19 with 1 key CTT194 with 4 key EUR or USD		Dimension: 57.5* 57.5*7.2 mm Call distance: 500 meters(Open area) Material: ABS Plastic Color: White, black, brown / 4 key in black color Frequency:433.92MHz Warranty: 12 months	\$2.5	\$2.4	\$2.2	Customized LOGO or sticker available

Wireless Calling System								
Item	Product Name	Product Model	Photo	Description	Sample Price 3-5pcs	Agent Price 51-300pcs	Distributor Price 301-1000pcs	Remark
P17	Small Hamburger Call Button	CTT06		Button Type: Single key Dimension: 60*60*25 mm Call Frequency: 433.92MHZ/315MHZ Power :1X12V battery Call distance: 500 meters(Open area) Color: totem or wood grain Button Material: ABS plastic Button Shape: Hamburger	\$2.5	\$2.3	\$2.2	Customized LOGO or sticker available
P18	Waterproof Call Button	CTT23		Frequency:433MHz Modulation mode:ASK (AM) Decoding:learning code Working current:17mA Power:12V/23A battery (included) Emission Distance:500m (open area) Size:60 * 60 * 20mm	\$2.4	\$2.3	\$2.2	
P19	Strong signal Call Button	CTT09E		Dimension:85*85*20 mm Frequency: 315MHZ or 433.92MHZ Power 1X12V battery Distance: 500 meters(Open area) Color: White Material: ABS plastic	\$2.6	\$2.5	\$2.3	
P20	Touch Screen Call Button	CTT11		Dimension:85*85*15 mm Frequency: 433.92MHZ Power 1X12V battery Distance: 500 meters(Open area) Color: White Material: ABS plastic	\$2.8	\$2.6	\$2.5	Customized LOGO or sticker available
P21	Touch Screen Rechargeable Call Button 1 or 3 key	CTT08		Dimension:80*80*11mm Frequency:433.92mhz Battery:250mAh lithium battery Distance:500-800 meters Color: Black and gold, white and gold Material:Metal Frame and Acrylic Panel Charging Voltage:5V	\$6.2	\$5.8	\$5.2	1 key: call 3 key: order, call, bill
P22	Signal Repeater Booster	CTA03		Signal Booster/Repeater Dimension: 130*110*30mm Power: 12V Color: Silver Material: Aluminum Frequency: 315 or 433.92 MHz Distance: 1000 meters(Open area)	\$25	\$23.9	\$23.60	

Wireless Calling System

Item	Product Name	Product Model	Photo	Description	Sample Price 30-50pcs	Agent Price 51-300pcs	Distributor Price 301-1000pcs	Remark
P23	WATERPROOF SOS Call Button	CTT09		SOS Call Button Working Voltage:3V(CR2032) Dimension:55*30*10 mm Modulation Mode: ASK (AM) Working chip: learning code Power:cell battery (included) Emission Distance: 200m (in open area) Working temperature: -10° C to 50° C Weight: 20g / 0.045lb RF frequency: 433.92MH	\$2.8	\$2.6	\$2.5	
P24	Metal Antenna Call Button Strong Signal	CTT07		Dimension:85* 35*15 mm Material: ABS Frequency: 433.92MHz Encoding:million group registration Color: white Call distance: 800 meters(Open area) Weight:36 g	\$3	\$2.8	\$2.6	
P25	Touch Sensitive Keyboard transmitter	CTK300		Keyboard transmitter Size: 206mm *12 5mm*20mm Display:4 digits Power:Be equipped with 220V adapter Frequency:433.92MHZ Transmission power: 500mw Transmitter Distance:1000 meters(open area) Color: Black and golden Materia:Aluminium alloy can work with our CTP200 pagers, watch receivers, Screen Receivers	\$65 \$78	\$60 \$75	\$58 \$72	Rechargeable
All the transmitters can work with all the receivers								

Wireless Paging System								
Item	Product Name	Product Model	Photo	Description	Sample Price 1-50pcs	Agent Price 51-300pcs	Distributor Price 301-1000pcs	Remark
P26	Guest Pager	CTP301		Dimension: 105*50*10mm Frequency :433.92MHZ Color: Rose Red Mode: Sound, Vibration, Flashing Power: Build in lithium polymer battery Receive sensitivity:-107dBm Decoder:learning code (AM) Weight:37.8g	\$8	\$7	\$5.3	Customized LOGO or sticker number available
P27	Transmitter&Charger	CTB301		Dimension: 235*158*35mm Frequency:433.92MH Color:Black Power: Equipped with adapter Range of distance:1000 meters(in open area) Material: ABS plastic Plug: AU, EU, UK, US standard plug Weight:576g	\$56	\$50	\$40	
P28	(one set with 16 cps of pagers & one transmitter)	CTP301 CTB301		1 keyboard transmitter can call 999 pagers at most		\$116	\$113	\$109.5
P29	Hand-Receiver	CTP300		Dimention: 5.5x10.5x1cm Shell Material:high quality polycarbonate Color: Rose Red Receiving frequency: 433.92MHZ Receiver Sensitivity:- 100Bm Power consumption: Standby 1.6MW Battery:4.2V Lithium polymer battery Standby Time:20 days Waterproof Grade: IPX6 Set mode: learning code registration Type:flash, vibration and beep, vibration and beep can choose on or choose all	\$7	\$6.3	\$5.3	Customized LOGO or sticker number available

Wireless Paging System								
Item	Product Name	Product Model	Photo	Description	Sample Price 1-50pcs	Agent Price 51-300pcs	Distributor Price 301-1000pcs	Remark
P30	One-Machine for Transmitter & Charger	CTB200		Dimention:14 X 21 X 3.5cm Material: ABS Color: Black Transmission Power: 600mw Power Consumption:2W Frequency: 433.92mhz Power Supply:12 V 2A Transmission Distance: 1000 meters (open area) Charging quantity: 16 pcs Key life: one million time	\$35	\$32	\$32	
P31	Coaster Paging System (one set for 16cps and 1 keyboard transmitter)	CTP300 CTB200		Model: sound, vibration, flash; Convenient to carry, there is hanging hole on the top. Easy to change the numbers under the PMMA . Easy to operate, press the correspongding button to finish the calling. Lower power consumption design, in ideal conditions, the pager is filled with charge, it is 20 days standby. Battery life is over 10 years. Smart search function for numbers. 1 keyboard transmitter can call16 pagers at most	 \$118	\$115	\$108	
P32	Paging Receiver (one set for10 pcs)	CTP200		Size: 103 X 103 X 15.6 (mm); Power: Built-in 3.7V lithium polymer battery, Low battery indicator; Shell material: high quality polycarbonate; Color: black,blue, red; Display: 0.28 inches red digital display; Model: Sound, vibration, flashing; With clock feature and anti-theft function Code: long learning code; Distance: 1000 meters(open field) Material: ABS plastic	 \$10	\$9.5	\$9.2	 Available in black,red,green and blue; customized Logo
P33	Charger Base	CTB100		Size: 103 X 103 X 15.6 (mm) Color:black,blue,red; Material: ABS plastic Each charger base could maximally support 10 pcs of pagers	\$5	\$5	\$5	

Wireless Paging System								
Item	Product Name	Product Model	Photo	Description	Sample Price 1-50pcs	Agent Price 51-300pcs	Distributor Price 301-1000pcs	Remark
P34	Wireless Keypad Transmitter	CTK200		Keyboard transmitter Size: 160*115*80mm Display:4 digits Power:Be equipped with 220V adapter Frequency:433.92MHZ or 315MHZ Transmission power: 500mw Transmitter Distance:1000 meters(open area) Materia:ABS plastic	\$24	\$22	\$20	
P35	Paging System	CTP200 CTB100 CTK200		A: one set:10 pagers, 1 charger, 1 keyboard transmitter B:1 keyboard transmitter could call 99 pcs of pagers at most C: 1 charger can charge 10 pagers at most D: red, blue, black, green color E: support customized LOGO	 \$125	\$116	\$109	
P36	Waterproof Paging System (one set with 16 cps of pagers and one transmitter)	CTP100 CTK100		Pager Dimension:106*51*11mm Material of Housing:ABS Receiving Sensitivity:-114dB Standby Time: Approximately 20 hours Battery:Built-in 3.7V150mAh rechargeable lithium battery Reminder Method:Buzzing & LED Flashing Distance: About 200-300 meters Protection Level: IP32 Keypad Transmitter Dimension:238*151*30mm Material of Housing:ABS Transmitting Power:240mW Power Adapter:Input: AC 100-240V, 50/60Hz Output: DC 12V 1A Keypress Method:Touch type Modulation:AM	\$75	\$73.2	\$72.1	1 keyboard transmitter can call 999 pagers
P37	Waterproof Paging System (one set with 10 cps of pagers, 1 charger and one transmitter)	CTP600 CTK600		Pager dimension:95*95*10.5mm Standby time: more than 20 hours Distance:500-800 meters Material of Housing: pc Frequency: 315 mhz Reminder method: Vibrating, Buzzing & LED Flashing Battery: Built-in 200mAh rechargeable battery Protection Level: IP67 Keyboard transmitter Specification: Keyboard dimension: 170×96×37mm Material of Housing:ABS Modulation: FM Quantity of pagers: 999 pagers	\$145	\$138	\$132	1. waterproof pager 2. touch keyboard transmitter 3.customized LOGO

Wireless Paging System

Item	Product Name	Product Model	Photo	Description	Sample Price 1-50pcs	Agent Price 51-300pcs	Distributor Price 301-1000pcs	Remark
P38	FSK Pager	CTP400 CTK400		Pager dimension:95*95*10.5mm Standby time: more than 20 hours Distance:500-800 meters Material of Housing: pc Frequency: 315 mhz Reminder method: Vibrating, Buzzing & LED Flashing Battery: Built-in 500mAh rechargeable battery Protection Level: IP67 Keyboard dimension: 170×96×37mm Material of Housing:ABS Modulation: Fsk Quantity of pagers: 999 pagers A: one set:10 pagers, 1 charger, 1 keyboard transmitter B:1 keyboard transmitter could call 999 pcs of pagers at most C: 1 charger can charge 10 pagers at most	\$175	\$168	\$160	1. waterproof pager 2. touch keyboard transmitter 3.customized LOGO



1.What is table tracker ?

Table tracker is a table location system that identifies where guests are sitting so you can deliver food faster.

2. Advantages:

Faster food delivery times ; Improve customer experience levels ; Elevate employee productivity ; Help fast casual restaurants provide a better guest experience

3. How does Table Tracker Work ?

- 1) After placing an order, the cashier hands the customer a Table Tracker with an assigned number.
- 2)Your customer then selects a desired seat and places the Table Tracker on the table. The tracker reads the table tag number and sends signal.
- 3) When the order is ready, the runner no longer needs to search the restaurant for the correct table. Now, the runner simply checks the LCD monitor to find the table at which the order was made. The order is quickly delivered with no unnecessary time wasting and your customer receives the food order fast and still hot.
- 4) The runner then returns the Table Tracker.

A: Our table tracker system support 30, 50, 80, 100 trackers.

B: CTLM01 provides a HDMI connector, so you can choose your own screen

Table Tracker System

Item	Product Name	Product Model	Photo	Description	Sample Price 1-50pcs	Agent Price 51-300pcs	Distributor Price 301-1000pcs
P39	Set-top Box	CTLM01		Set-top box size: 132*82*62 mm Display:4 digits Power supply: 5V Frequency:433.92MHZ Antenna length:208mm Color: rose gold	\$180	\$170	\$150
P40	Table Tags	CTLT01		Tabke Tag size: 88*50*24 mm Battery: 5 AA battery X 3 (2 year battery life) Color: black Additional lines are included	\$23	\$22	\$21
P41	Tracker	CTL02		Tracker size: 103*103*15.6 mm Power:Built-in 3.7 V lithium battery Frequency:433.92MHZ Power supply: 7.5V/12V Color: Black,red, blue Materia:ABS plastic	\$21	\$20	\$19
P42	Charging Base	CTLB01		Charger size: 103*103*15.6 mm Color: Black,red, blue Materia:ABS plastic Notes:Each charger base could maximally support 10 pcs of trackers.	\$7	\$7	\$7

Sales Manager
Maggie Liu


Mobile:8617316276580
WhatsApp: 8617316276580
E-mail: maggie@catel.cn
Skype:maggie@catel

www.catel.cn
Catel Corporation Limited
No.36 Xiejia Industry Park, Changping District, Beijing, China



CatelCall, Make Service Better

New Paging System

Item	Product Name	Product Model	Photo	Description	Sample Price 1-150pcs	Agent Price 151-300pcs	Distributor Price 301-1000pcs
P43	Text messenger	CTP205		Size: 103 X 103 X 15.6 (mm); Power: Built-in 3.7V lithium polymer battery, Low battery indicator; Shell material: high quality polycarbonate; Color: red; Model: Sound, vibration, flashing; Code: long learning code; Distance: 500 meters(open field) Material: ABS plastic	\$28	\$27	\$25
P44	Base transmitter	CTB205		Dimension: 130*110*30mm Power: 12V Color: Silver Material: Aluminum Frequency: 433.92 MHz Distance: 500 meters(Open area)	\$90	\$86	\$83

